

PRODUCT CATALOG



HISCO[®]

Professional Tools Fiberglass Tough!

Prod. No.	Pg. No.	Prod. No.	Pg. No.	Prod. No.	Pg. No.	Prod. No.	Pg. No.
HIRP14MD-W4	HISGS10L-W16	HISS14L9	HITACOL3-424
HIRP-539	HISGS10MD16	HISS14LG2	HITACOL4-425
HIRP-5H39	HISGS10MDW16	HISS14L-CB10	HITMH-819
HIRP-5HW39	HISGS2D13	HISS14L-W9	HITS-835
HIRPDG2	HISGS2D-W13	HISS14MD9	HITS-1035
HIRPLG2	HISGS2L13	HISS16D11	HITS-1235
HIRPMSD3	HISGS2L-W13	HISS16DCB11	HITS481D25
HIRPMSL3	HISHISLH7	HISS16DG2	HITS481L25
HIRPSB14D5	HISHISSH7	HISS16DWCB11	HITS481L-W25
HIRPSB14L5	HISHISSH-L7	HISS16D-W11	HITS483LCD26
HIRR16T31	HISP2D7	HISS16L11	HITS48LCDW26
HIRR16T-W31	HISP2D-CB8	HISS16LCB11	HITS721L25
HIRSL6	HISP2D-W7	HISS16LG2	HITSEP-835
HIRSL-W6	HISP2L7	HISS16L-W11	HITSEP-1035
HIRT-1035	HISP2L-CB8	HISSSB14D10	HITSEP-1235
HIRT-835	HISP2L-M7	HISSSB14L10	HITSWP-835
HISBA-638	HISP2L-W7	HISSSB16D11	HITSWP-1035
HISBA-6W38	HISP2LW-CB8	HISSSB16L11	HITSWP-1235
HISC2D14	HISP2MD7	HIST3-424	HIUP-3637
HISC2D-W14	HISP2MD-CB8	HIST3-4G3	HIUP-36B37
HISC2L14	HISP2MD-W7	HIST3-4W24	HIUP-4237
HISC2L-W14	HISPDG2	HIST4-425	HIUP-42B37
HISC2MD14	HISPLG2	HIST4-4G3	HIUP-4837
HISC2MD-W14	HISPMSL3	HIST4-4W25	HIUP-48B37
HISF4D19, 23	HISPSB2L8	HIST5-426	HIUP482442
HISF4D-W19, 23	HISS14D9	HIST5-4G3	HIWK-334
HISF4L19, 23	HISS14DG2	HIST5-4W26	HIWK-434
HISF-4MD19, 23	HISS14DWCB10	HIST6-426	HIWS-4837
HISGS10D16	HISS14D-CB10	HIST6-4G3		
HISGS10D-W16	HISS14D-M9	HIST6-4W26		
HISGS10L16	HISS14D-W9	HITACO3-424		

Professional Tools Built For Performance!



4320 N. Cooper Avenue
Oklahoma City, OK 73118

Mailing Address:

P.O. Box 18481 • Oklahoma City, OK 73154-0481

TEL 405-524-2700

FAX 405-524-2737

www.hiscotools.com


Distributed By:



Introduction

After 35 years, HISCO's mission continues to focus on providing our customers the highest quality professional grade hand tools. This Product Catalog is a culmination of our dedication to that mission. In this catalog, you will see that we continue to add new tools to further meet your specific needs and preferences. In addition to our original line of the best fiberglass-handled tools available, we offer our **Renegade line of high quality domestic ash-and-hickory-handled tools**, and our **Maverick line of imported ash-handled tools**.

Regardless of your choice, you can be assured that HISCO will provide you the highest quality professional grade hand tools on the market.



Our Comprehensive Trench Shovel Line-Up

HISCO proudly offers four styles of trench shovel blades to accommodate the various needs of our underground, irrigation, industrial and utility users.

A. Our Clean-Out blade, available in 3-inch and 4-inch widths, is specifically designed for trench clean-out and features a flat blade and 60-inch high-angle handle. This blade is not heat treated and should not be used as a digging tool.


B. Our patented TACO (Trench And Clean-Out) Tool™ and our new TACO Lite™ feature a revolutionary design that combines all of the features of a trench shovel and clean-out shovel. Available in 3-inch and 4-inch widths, this design features vertical sides for greater material retention, an improved heel for secure foot placement, closed back to eliminate material build up, and a flat bottom for clean cuts and complete trench clean-out. Our original TACO Tool™ is made of a heavy 12-gauge steel and has a 40 degree handle angle. Our new TACO Lite™ has the same design features as our original TACO Tool™ but is made of a lighter 16-gauge high carbon heat treated steel to reduce head weight while maximizing strength. The handle angle is 35 degrees and the tool comes in three handle lengths.

C. Our Step-Trench blade is made of 14-gauge high carbon heat treated steel and comes in 3-inch, 4-inch, 5-inch and 6-inch widths. The blade is the standard in the trench tool industry and is primarily used for digging.

D. Our Classic trench shovel blade is the original design of trench blades and is available in a 4-inch width. This slightly rounded blade with no step can be used for digging and trench clean-out. No matter what your demands are, HISCO has the right tool for the job!


HISCO's ProGold Series

The HISCO **ProGold Series** of tools is a testament to our unwavering commitment to provide our customers with superior digging tools designed for intensive professional use. Our ProGold series of tools combines features of high quality steel blades and solid shank blades with a super strong thick-walled pultruded fiberglass handle or our 500 Series solid fiberglass handles. The HISCO ProGold extended steel sleeve with a weather resistant yellow zinc coating fits over the neck of the blade extending the natural stress point of the shovel handle, eight-inches on long handled tools and six-inches on short handled tools, providing unparalleled handle and head-to-handle strength. The ProGold extended steel sleeve also provides protection from handle abrasion.



Our Handle on Quality

Hollow fiberglass handles may be fine for recreational use but if you must rely on your hand tools everyday, HISCO's fiberglass handles have a legacy of premium performance. All HISCO handles are produced from thousands of continuous strands of fiberglass saturated with thermosetting resins and a non-fiberglass polyester veil impregnated on the surface. The veil gives the handle a smooth finish and keeps the fiberglass from splintering.



Exploded view of our signature handle.



This front-end loader, weighing 4800 lbs., is supported by two of our long-handled hollow back shovels.

Other Quality HISCO Handles

1. HISCO's workhorse handle is solid fiberglass and we use this handle on our 500 Series tools, digging bars and cant hooks. Unsurpassed in strength, the weight of the handle becomes an asset when digging in hard, compact and rocky soils or when using the tool to cut through tree roots.

2. Our signature fiberglass handle used on our digging tools features a thick wall fiberglass tube, which is less flexible than poly-molded handles, and has a solid fiberglass inner core in the base followed by a wood core through the remaining portion of the handle. The solid fiberglass core extends the stress point above the critical neck or collar portion of the handle which increases its overall strength and durability. The handles used on our roofing tools and scoop type tools, that are not usually subjected to the same types of stress as digging tools, feature the same thick wall fiberglass tube and a wood core throughout.

3. On tools that require less strength, such as our rakes, brooms, lutes and hoes, we use our fiberglass handle with a honeycomb plastic core.

4. All of our long handle digging tools feature our new 8-inch Tuffoam double-dip grips which have been designed for the toughest industrial applications. The grips feature a durable, vinyl inner liner and a comfortable, non-slip foam exterior that provides long life and helps prevent potential harmful hand fatigue.


5. Our D-Grips, used on short and mid-length handled tools, are made of one-piece high-density nylon. Rake and hoe handles have durable polyvinyl butt grips.



Private Labeling of Handles



One of the many benefits of purchasing HISCO products is participation in our Private Label Program. With an initial pre-paid freight order, we build your tools to order and complete them with your company label on the handle FREE of charge. Your company label will then be stored in our Private Label inventory for future orders. You will also have the option of having your fiberglass-made with our HISCO handles or our high visibility yellow fiberglass. The choice is yours! It is an easy way to advertise your company without expensive costs. Call HISCO customer service for further details.



Benefits of Fiberglass:

- Greater strength pound for pound than steel.
- Will not transmit heat or cold, and will not conduct electricity.
- Will not absorb moisture or warp.
- Is non-corrosive and resistant to acids and other chemicals.
- Is highly resistant to temperature changes.
- Resists impact, is non-denting and difficult to damage.
- Minimizes handle breakage and saves on-the-job downtime.

ProGold Series

HISCO ProGold series of tools combine features of high quality steel blades and solid shank blades with a **super strong thick-walled pul-truded fiberglass handle with a solid wood core throughout. Our 500 Series feature a solid fiberglass handle.** The HISCO ProGold yellow zinc coated steel sleeve fits over the neck of the blade extending the natural stress point of the shovel providing unparalleled handle and head-to-handle strength. **Our ProGold steel sleeve also protects the handle from abrasion.**



HISCO ProGold...
Breaking The Rules With
Ground Breaking Tools!

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIRPLG	Size: 2 Round Point	Hollow Back 8 ³ / ₄ " x 11 ³ / ₄ "	47" Fiberglass	Double-dip	5.25 lbs.
HIRPDG	Size: 2 Round Point	Hollow Back 8 ³ / ₄ " x 11 ³ / ₄ "	27" Fiberglass	D-grip	4.25 lbs.
HISPLG	Size: 2 Square Point	Hollow Back 9 ³ / ₄ " x 11 ¹ / ₂ "	47" Fiberglass	Double-dip	5.25 lbs.
HISP DG	Size: 2 Square Point	Hollow Back 9 ³ / ₄ " x 11 ¹ / ₂ "	27" Fiberglass	D-grip	4.00 lbs.
HIGSLG	Size: 2 Garden Spade	Hollow Back 6 ⁷ / ₈ " x 10 ⁵ / ₈ "	48" Fiberglass	Double-dip	4.75 lbs.
HIGSDG	Size: 2 Garden Spade	Hollow Back 6 ⁷ / ₈ " x 10 ⁵ / ₈ "	28" Fiberglass	D-grip	3.60 lbs.
HISS14LG	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	48" Fiberglass	Double-dip	4.75 lbs.
HISS14DG	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	30" Fiberglass	D-grip	4.00 lbs.
HISS16LG	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	48" Fiberglass	Double-dip	5.25 lbs.
HISS16DG	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	30" Fiberglass	D-grip	4.10 lbs.

HISCO is proud to introduce the “Mud Shovel”, or “Holy Shovel” as it is commonly called. Developed by Toolite®, U.S. Patent 5,601,325 and additional international patents, this shovel performs remarkably in wet soil or damp clay. Holes in the blade allow mud and clay to release effortlessly, while draining excess fluid. The holes decrease the surface area of the blade making it lightweight yet strong.



HI550LG



HI551LG



HIST3-4G



HIST4-4G



HIST5-4G



HIST6-4G



HIRPMSL
HIRPMSD (not shown)



HISPMSL

Model	Description	Blade	Handle	Grip	Nominal Wt.
HI550LG	Size: 2 Caprock Irrigation	Solid Shank 87/8" x 10"	47" Solid Fiberglass	Double-dip	7.25 lbs.
HI551LG	Size: 2 Caprock Irrigation	Solid Shank 87/8" x 10"	53" Solid Fiberglass	Double-dip	7.80 lbs.
HIST3-4G	3" Step Trench Shovel	Steel, Forward Step 3" x 10 1/2"	47" Fiberglass	Double-dip	4.00 lbs.
HIST4-4G	4" Step Trench Shovel	Steel, Forward Step 4" x 10 1/2"	47" Fiberglass	Double-dip	4.25 lbs.
HIST5-4G	5" Step Trench Shovel	Steel, Forward Step 5" x 10 1/2"	47" Fiberglass	Double-dip	4.75 lbs.
HIST6-4G	6" Step Trench Shovel	Steel, Forward Step 6" x 10 1/2"	47" Fiberglass	Double-dip	5.00 lbs.
HIRPMSL	Size: 2 Mud Round Point	Hollow Back 8 1/4" x 11 1/2"	47" Fiberglass	Double-dip	4.95 lbs.
HIRPMSD	Size: 2 Mud Round Point	Hollow Back 8 1/4" x 11 1/2"	27" Fiberglass	D-grip	4.45 lbs.
HISPMSL	Size: 2 Mud Square Point	Hollow Back 8 3/4" x 11 1/4"	47" Fiberglass	Double-dip	4.95 lbs.



HISCO's Hollow Back Round Point Blades are stamped from a single piece of steel with forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet. Fiberglass and Renegade models feature a reinforcing metal collar at the neck. Ideal for light to moderate industrial and construction applications, these lighter heads are more economical than solid shank blades making hollow back tools our most popular models.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIRP14L	Size: 2 Round Point	Hollow Back 8 ⁷ / ₈ " x 11 ³ / ₄ "	47" Fiberglass	Double-dip	5.00 lbs.
HIRP14D	Size: 2 Round Point	Hollow Back 8 ⁷ / ₈ " x 11 ³ / ₄ "	27" Fiberglass	D-grip	4.50 lbs.
HIRP14MD	Size: 2 Round Point	Hollow Back 8 ⁷ / ₈ " x 11 ³ / ₄ "	40" Fiberglass	D-grip	5.00 lbs.
HIRP14L-W	Size: 2 Round Point	Hollow Back 8 ⁹ / ₁₆ " x 11"	48" Ash	None	4.00 lbs.
HIRP14D-W	Size: 2 Round Point	Hollow Back 8 ⁹ / ₁₆ " x 11"	27" Ash	D-grip	4.00 lbs.
HIRP14MD-W	Size: 2 Round Point	Hollow Back 8 ⁹ / ₁₆ " x 11"	40" Ash	D-grip	4.50 lbs.
HIRP14L-M	Size: 2 Round Point	Hollow Back 8 ⁷ / ₁₆ " x 11 ⁷ / ₁₆ "	47" Ash	None	4.25 lbs.



HIRP14L-CB



HIRP14D-CB



HIRP14LWCB



HIRPSB14D



HIRPSB14L



HI520D



HI520L

Closed Back Blade
reduces soil build-up
and adds strength to
the blade.



HISCO's Closed Back Blades are stamped from a single piece of steel and the hollow back, known as the "frog", is welded closed with a steel plate to reduce soil build-up and add strength. Blades have forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet and feature a reinforcing metal collar at neck.

Solid Shank Premium Blades are forged from a single bar of steel. The solid neck and blade of these tools are extremely durable. Fiberglass handles are attached with rivet and reinforcing metal collar for increased strength.

Designed for heavy-duty industrial and contractor use, these tools are sure to perform on the most demanding job sites.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIRP14L-CB	Size: 2 Round Point	Closed Back 8 ⁷ / ₈ " x 11 ³ / ₄ "	47" Fiberglass	Double-dip	5.00 lbs.
HIRP14D-CB	Size: 2 Round Point	Closed Back 8 ⁷ / ₈ " x 11 ³ / ₄ "	27" Fiberglass	D-grip	4.00 lbs.
HIRP14LWCB	Size: 2 Round Point	Closed Back 8 ⁹ / ₁₆ " x 11"	48" Ash	None	4.00 lbs.
HIRPSB14D	Size: 2 Round Point	Solid Shank 8 ³ / ₄ " x 11 ¹ / ₂ "	27" Fiberglass	D-grip	5.00 lbs.
HIRPSB14L	Size: 2 Round Point	Solid Shank 8 ³ / ₄ " x 11 ¹ / ₂ "	47" Fiberglass	Double-dip	5.30 lbs.
HI520D	Size: 2 Round Point	Solid Shank 8 ³ / ₄ " x 11 ¹ / ₂ "	27" Solid Fiberglass	D-grip	5.75 lbs.
HI520L	Size: 2 Round Point	Solid Shank 8 ³ / ₄ " x 11 ¹ / ₂ "	47" Solid Fiberglass	Double-dip	7.50 lbs.



HIRSL



HIRSL-W



HI550L



HIIRSLH



HIIRSLH-W



HIISL



HIISL-W

HISCO's Rice Shovel Blades are perforated to allow water and silt to drain from the blade when digging in moist/wet soil or when moving other wet materials.

Hollow back blades are an economical alternative to our heavier solid shank blades.

Solid Shank Blades are forged from a single bar of steel with solid neck and blade. Our fiberglass handles have a reinforcing metal collar, and our ash handles feature double rivets.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIRSL	Size: 2 Perforated Rice	Hollow Back 8 ³ / ₈ " x 10 ¹ / ₄ "	47" Fiberglass	Double-dip	4.50 lbs.
HIRSL-W	Size: 2 Perforated Rice	Hollow Back 8 ³ / ₈ " x 10 ¹ / ₄ "	47" Ash	None	4.00 lbs.
HI550L	Size: 2 Caprock Irrigation	Solid Shank 8 ⁷ / ₈ " x 10"	47" Solid Fiberglass	Double-dip	7.50 lbs.
HIIRSLH	Size: 2 Caprock Irrigation	Solid Shank 8 ⁷ / ₈ " x 10"	47" Fiberglass	Double-dip	4.75 lbs.
HIIRSLH-W	Size: 2 Caprock Irrigation	Solid Shank 8 ⁷ / ₈ " x 10"	47" Ash	None	4.25 lbs.
HIISL	Size: 00 Irrigation	Solid Shank 7 ¹ / ₄ " x 9 ¹ / ₂ "	47" Fiberglass	Double-dip	5.50 lbs.
HIISL-W	Size: 00 Irrigation	Solid Shank 7 ¹ / ₄ " x 9 ¹ / ₂ "	47" Ash	None	5.00 lbs.

HISCO's Small Head Irrigation/Floral Shovels

are stamped from a single piece of steel with forward turned steps. These hollow back round point shovels, also known as "plumber's shovels", are perfect for work in tight areas as well as, light duty nursery, gardening and camping applications.



HISCO's Hollow Back Square Point Blades

are stamped from a single piece of steel with forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet. Fiberglass and Renegade models feature a reinforcing metal collar at the neck.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HISHISLH	Small-head Irrigating/Floral	Hollow Back 6" x 8 1/2"	46" Fiberglass	Vinyl	2.75 lbs.
HISHISSH	Small-head Irrigating/Floral	Hollow Back 6" x 8 1/2"	27" Fiberglass	D-grip	2.50 lbs.
HISHISSH-L	Small-head Irrigating/Floral	Hollow Back 6" x 8 1/2"	18" Fiberglass	D-grip	2.00 lbs.
HISP2L	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	47" Fiberglass	Double-dip	4.75 lbs.
HISP2D	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	27" Fiberglass	D-grip	4.25 lbs.
HISP2MD	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	40" Fiberglass	D-grip	4.75 lbs.
HISP2L-W	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	47" Ash	None	4.50 lbs.
HISP2D-W	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	28" Ash	D-grip	4.00 lbs.
HISP2MD-W	Size: 2 Square Point	Hollow Back 8 5/8" x 11 1/4"	40" Ash	D-grip	4.75 lbs.
HISP2L-M	Size: 2 Square Point	Hollow Back 9 1/4" x 11 1/4"	47" Ash	None	4.50 lbs.



Closed Back Blade
Reduces soil build-up and adds strength to the blade.

HISCO's Solid Shank Premium Blades are forged from a single bar of steel. The solid neck and blade of these tools are extremely durable. Flexible handles are attached with a reinforcing metal collar and riveted for increased strength.

Designed for heavy-duty industrial and contractor use, these tools are sure to perform on the most demanding job sites.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HISP2L-CB	Size: 2 Square Point	Closed Back 8 ⁵ / ₈ " x 11 ¹ / ₄ "	47" Fiberglass	Double-dip	4.75 lbs.
HISP2D-CB	Size: 2 Square Point	Closed Back 8 ⁵ / ₈ " x 11 ¹ / ₄ "	27" Fiberglass	D-grip	4.30 lbs.
HISP2MD-CB	Size: 2 Square Point	Closed Back 8 ⁵ / ₈ " x 11 ¹ / ₄ "	40" Fiberglass	D-grip	4.50 lbs.
HISP2LW-CB	Size: 2 Square Point	Closed Back 8 ⁵ / ₈ " x 11 ¹ / ₄ "	47" Ash	None	4.50 lbs.
HIP2SB2L	Size: 2 Square Point	Solid Shank 9 ³ / ₄ " x 12"	47" Fiberglass	Double-dip	5.50 lbs.
HI510L	Size: 2 Square Point	Solid Shank 9 ³ / ₄ " x 12"	47" Solid Fiberglass	Double-dip	7.75 lbs.

HISCO's Hollow Back Drain Spade Blades are stamped from a single piece of steel with forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet. Fiberglass and Renegade models feature a reinforcing metal collar at the neck.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HISS14L	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	48" Fiberglass	Double-dip	5.00 lbs.
HISS14D	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	30" Fiberglass	D-grip	4.25 lbs.
HISS14MD	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	40" Fiberglass	D-grip	4.75 lbs.
HISS14D-W	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	30" Ash	D-grip	3.75 lbs.
HISS14L-W	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	49" Ash	None	4.50 lbs.
HISS14D-M	14" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 14"	31" Ash	Steel/Wood D-grip	4.00 lbs.



HIS14L-CB



HIS14D-CB



HIS14DWCB

Closed Back Blade reduces soil build-up and adds strength to the blade.



HISCO's Closed Back Blades

are stamped from a single piece of steel and the hollow back welded closed with a steel plate. Blades have forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet and feature a reinforcing metal collar at the neck.



HIS14L



HIS14D



HI530L



HI530D

HISCO's Solid Shank Premium Blades

are forged from a single bar of steel. The solid neck and blade of these tools are extremely durable. Flexible handles are attached with a reinforcing metal collar and riveted for increased strength.

Designed for heavy-duty industrial and contractor use, these tools are sure to perform on the most demanding job sites.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIS14L-CB	14" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 14"	48" Fiberglass	Double-dip	5.25 lbs.
HIS14D-CB	14" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 14"	30" Fiberglass	D-grip	4.75 lbs.
HIS14DWCB	14" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 14"	30" Ash	D-grip	4.25 lbs.
HIS14L	14" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 14"	47" Fiberglass	Double-dip	5.50 lbs.
HIS14D	14" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 14"	28" Fiberglass	D-grip	4.50 lbs.
HI530L	14" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 14"	47" Solid Fiberglass	Double-dip	7.00 lbs.
HI530D	14" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 14"	27" Solid Fiberglass	D-grip	5.75 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HISS16L	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	49" Fiberglass	Double-dip	5.00 lbs.
HISS16D	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	28" Fiberglass	D-grip	4.50 lbs.
HISS16L-W	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	49" Ash	None	4.50 lbs.
HISS16D-W	16" Drain Spade/Sharp Shooter	Hollow Back 5 ³ / ₄ " x 16"	30" Ash	D-grip	4.00 lbs.
HISS16DCB	16" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 16"	30" Fiberglass	D-grip	4.25 lbs.
HISS16LCB	16" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 16"	49" Fiberglass	Double-dip	5.00 lbs.
HISS16DWCB	16" Drain Spade/Sharp Shooter	Closed Back 5 ³ / ₄ " x 16"	30" Ash	D-grip	4.25 lbs.
HISSSB16D	16" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 16"	28" Fiberglass	D-grip	4.50 lbs.
HISSSB16L	16" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 16"	47" Fiberglass	Double-dip	5.25 lbs.
HI540D	16" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 16"	27" Solid Fiberglass	D-grip	5.80 lbs.
HI540L	16" Drain Spade/Sharp Shooter	Solid Shank 5 ¹ / ₂ " x 16"	47" Solid Fiberglass	Double-dip	7.50 lbs.

HISCO's Hollow Back Garden Spade Blades

are stamped from a single piece of steel with rolled back steps. Handles are attached with a single rivet. Fiberglass and Renegade models feature a reinforcing metal collar at the neck.

Ideal for light to moderate industrial and construction applications, these lighter heads are more economical than solid shank blades making hollow back tools our most popular models.



HISCO's Solid Shank Premium Blades

are forged from a single bar of steel. The solid neck and blade of these tools are extremely durable. Flexible handles are attached with a reinforcing metal collar and riveted for increased strength.

Designed for heavy-duty industrial and contractor use, these tools are sure to perform on the most demanding job sites.



Closed Back Blade reduces soil build-up and adds strength to the blade.

HISCO's Closed Back Blades

are stamped from a single piece of steel and the hollow back welded closed with a steel plate. Blades have forward turned steps for secure and comfortable foot placement. Handles are attached with a single rivet and feature a reinforcing metal collar at the neck.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIGS2L	Size: 2 Garden Spade	Hollow Back 7" x 11"	48" Fiberglass	Double-dip	4.80 lbs.
HIGS2D	Size: 2 Garden Spade	Hollow Back 7" x 11"	28" Fiberglass	D-grip	4.25 lbs.
HIGS2L-W	Size: 2 Garden Spade	Hollow Back 7" x 11"	48" Ash	None	4.50 lbs.
HIGS2D-W	Size: 2 Garden Spade	Hollow Back 7" x 11"	28" Ash	D-grip	4.00 lbs.
HIGS2L-CB	Size: 2 Garden Spade	Closed Back 6 ⁷ / ₈ " x 10 ⁵ / ₈ "	48" Fiberglass	Double-dip	4.85 lbs.
HIGS2D-CB	Size: 2 Garden Spade	Closed Back 6 ⁷ / ₈ " x 10 ⁵ / ₈ "	28" Fiberglass	D-grip	4.25 lbs.
HIPSSH	Size: 16 Ditch/Post Spade	Solid Shank 6 ¹ / ₄ " x 16"	27" Fiberglass	D-grip	5.00 lbs.
HI500D	Size: 16 Ditch/Post Spade	Solid Shank 6 ¹ / ₄ " x 16"	27" Solid Fiberglass	D-grip	6.00 lbs.



Sand/Gravel & Bunk Scoop Blade detail.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HISGS2L	Size: 2 Sand/Gravel/Bunk Scoop	Steel 11" x 15"	47" Fiberglass	Double-dip	5.50 lbs.
HISGS2D	Size: 2 Sand/Gravel/Bunk Scoop	Steel 11" x 15"	27" Fiberglass	D-grip	5.00 lbs.
HISGS2L-W	Size: 2 Sand/Gravel/Bunk Scoop	Steel 11" x 15"	47" Ash	None	5.25 lbs.
HISGS2D-W	Size: 2 Sand/Gravel/Bunk Scoop	Steel 11" x 15"	27" Ash	D-grip	5.25 lbs.
HIGPSLH	Size: 2 General Purpose/Street Scoop	Steel 11" x 14 1/4"	44" Fiberglass	Double-dip	5.25 lbs.
HIGPSLH-W	Size: 2 General Purpose/Street Scoop	Steel 11" x 14 1/4"	45" Ash	None	4.50 lbs.



HIASD



HIASD-W



HIASL



HISC2L



HISC2D



HISC2MD



HISC2MD-W



HISC2D-W



HISC2L-W

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIASL	Eastern Pattern Asphalt Scoop	Steel 11" x 15"	44" Fiberglass	Double-dip	5.25 lbs.
HIASD	Eastern Pattern Asphalt Scoop	Steel 11" x 15"	27" Fiberglass	D-grip	5.25 lbs.
HIASD-W	Eastern Pattern Asphalt Scoop	Steel 11" x 15"	26" Ash	D-grip	5.00 lbs.
HISC2L	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	45" Fiberglass	Double-dip	5.50 lbs.
HISC2D	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	27" Fiberglass	D-grip	5.50 lbs.
HISC2MD	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	37" Fiberglass	D-grip	5.75 lbs.
HISC2L-W	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	47" Ash	None	5.50 lbs.
HISC2D-W	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	27" Ash	D-grip	5.50 lbs.
HISC2MD-W	Size: 2 Western Pattern Ribbed Coal	Steel 13" x 14 ¹ / ₂ "	37" Ash	D-grip	5.75 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIAGS2L	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	46" Fiberglass	Double-dip	4.00 lbs.
HIAGS2D	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	27" Fiberglass	D-grip	3.50 lbs.
HIAGS2MD	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	38" Fiberglass	D-grip	3.75 lbs.
HIAGS2L-W	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	47" Ash	None	3.50 lbs.
HIAGS2D-W	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	27" Ash	D-grip	3.00 lbs.
HIAGS2MD-W	Size: 2 Western Pattern Ribbed Coal	Aluminum 13 ¹ / ₂ " x 14 ¹ / ₂ "	39" Ash	D-grip	3.50 lbs.



HISCO's Grain Scoop Blades

are stamped from a single piece of steel or aluminum. These western pattern scoops have embossed ribs for added strength. Handles are attached with a single rivet and feature a reinforcing metal collar at the neck.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HISGS10L	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	44" Fiberglass	Double-dip	7.50 lbs.
HISGS10D	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	27" Fiberglass	D-grip	7.25 lbs.
HISGS10MD	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	38" Fiberglass	D-grip	7.50 lbs.
HISGS10L-W	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	46" Ash	None	7.00 lbs.
HISGS10D-W	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	27" Ash	D-grip	7.00 lbs.
HISGS10MDW	Size: 10 Western Pattern	Steel 14 ¹ / ₂ " x 18"	38" Ash	D-grip	7.25 lbs.
HIAGS10L	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	44" Fiberglass	Double-dip	4.50 lbs.
HIAGS10D	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	27" Fiberglass	D-grip	4.25 lbs.
HIAGS10MD	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	38" Fiberglass	D-grip	4.25 lbs.



HIAGS10L-W



HIAGS10D-W



HIAGS10MDW



HIAGS14D



HIAGS14D-W

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIAGS10L-W	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	47" Ash	None	3.75 lbs.
HIAGS10D-W	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	27" Ash	D-grip	3.75 lbs.
HIAGS10MDW	Size: 10 Western Pattern	Aluminum 14 ³ / ₄ " x 18"	38" Ash	D-grip	4.25 lbs.
HIAGS14D	Size: 14 Western Pattern	Aluminum 15 ³ / ₄ " x 20"	27" Fiberglass	D-grip	4.25 lbs.
HIAGS14D-W	Size: 14 Western Pattern	Aluminum 15 ³ / ₄ " x 20"	27" Ash	D-grip	4.00 lbs.

Specialty Scoop Blades These western pattern scoops with ribbed blades, are made of nonsparking Cyolac® plastic and are ideal as snow shovels and for use in grain operations. Handles are attached with a single rivet.



HINSS12MD



HINSS12D-W



HINSS12L-W



HINSS12MDW

Model	Description	Blade	Handle	Grip	Nominal Wt.
HINSS12MD	Size: 12 Non-Sparking	Cyolac® Plastic 14 1/2" x 17 3/4"	38" Fiberglass	D-grip	4.75 lbs.
HINSS12L-W	Size: 12 Non-Sparking	Cyolac® Plastic 14 1/2" x 17 3/4"	46" Ash	None	4.50 lbs.
HINSS12D-W	Size: 12 Non-Sparking	Cyolac® Plastic 14 1/2" x 17 3/4"	26" Ash	D-grip	4.00 lbs.
HINSS12MDW	Size: 12 Non-Sparking	Cyolac® Plastic 14 1/2" x 17 3/4"	40" Ash	D-grip	4.25 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HISF4L	Four Tine Roofer's Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	48" Fiberglass	Double-dip	4.50 lbs.
HISF4D	Four Tine Roofer's Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	28" Fiberglass	D-grip	4.25 lbs.
HISF-4MD	Four Tine Roofer's Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	40" Fiberglass	D-grip	5.00 lbs.
HISF4D-W	Four Tine Roofer's Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	31" Ash, Gooseneck	D-grip	4.00 lbs.
HITMH-8	Tar Mop Handle	No Mop/Handle Only 1 ¹ / ₄ " dia.	96" Fiberglass	Double-dip	4.00 lbs.

Build Your Own Tear-Off Spade

Tear-Off Spades are the most used tear-off tools in residential and commercial roofing. Depending on your specific application and preferences, HISCO has the handle and head combination to fit your needs. Now you can build your own tool. Locate the fiberglass or ash handle you prefer, by number; then add that number to the letter by the HISCO tear-off head that meets your requirements. The numeric/alpha identifier is listed on the corresponding index and will give you HISCO's product number of the tear-off spade you just built.

- Rolled back steps on our tear-off spades keep shingles from catching on blade during tear-off.

FIRST...


CHOOSE YOUR HANDLE PREFERENCE:

HISCO's quality handles feature a reinforcing metal collar at neck of blade and are attached with a steel rivet for added strength.

1. 48" Fiberglass with Double-dip grip
2. 28" Fiberglass with D-grip
3. 48" Ash with no grip
4. 28" Ash with D-grip
5. 40" Ash with D-grip



SECOND... CHOOSE YOUR HEAD PREFERENCE:



A

Open Back Tear-Off Spade
This is our basic straight blade with open back.



G

Angle Back Tear-Off Spade
Features straight blade and 10" x 5" steel fulcrum with 2 1/2" lift for maximum leverage. Bottom of fulcrum has welded angle iron plate for increased wear.



H

Angle Back Tear-Off Spade-Piranha Teeth
Features 10" x 5" steel fulcrum with 2 1/2" lift for maximum leverage and Piranha teeth for removal of nails and tacks. Bottom of fulcrum has welded angle iron plate for durability.



C

Closed Back Tear-Off Spade
Our open back straight blade featured with the back welded closed with a steel plate.



K

Closed Back Tear-Off with Wedge Fulcrum
Straight Blade Only. Features closed back with an 8" x 3" steel wedge with 1 3/4" lift. This is a tough tear-off spade primarily used in commercial roofing applications.

- Rolled back steps on our tear-off spades keep shingles from catching on blade during tear-off.

- Piranha blades feature a serrated aid in removal of nails and tacks.

Key	Model	Description	Blade/Head	Handle	Grip	Nominal Wt.
1A	HIGS2L	Size: 2 Tear-off Spade	Hollow Back 7" x 11"	48" Fiberglass	Double-dip	4.80 lbs.
2A	HIGS2D	Size: 2 Tear-off Spade	Hollow Back 7" x 11"	28" Fiberglass	D-grip	4.25 lbs.
3A	HIGS2L-W	Size: 2 Tear-off Spade	Hollow Back 7" x 11"	48" Ash	None	4.50 lbs.
4A	HIGS2D-W	Size: 2 Tear-off Spade	Hollow Back 7" x 11"	28" Ash	D-grip	4.00 lbs.
1C	HIGS2L-CB	Size: 2 Tear-off Spade	Closed Back 7" x 11"	48" Fiberglass	Double-dip	4.90 lbs.
2C	HIGS2D-CB	Size: 2 Tear-off Spade	Closed Back 7" x 11"	28" Fiberglass	D-grip	4.35 lbs.
1G	HI14RSL	Angle Back Tear-Off Spade	Reinforced 30° Fulcrum 7" x 11"	48" Fiberglass	Double-dip	5.50 lbs.
2G	HI14RSD	Angle Back Tear-Off Spade	Reinforced 30° Fulcrum 7" x 11"	28" Fiberglass	D-grip	5.25 lbs.
1H	HIJAWS-2	Angle Back Tear-Off Piranha	Reinforced 30° Fulcrum 7" x 11"	48" Fiberglass	Double-dip	5.50 lbs.
2H	HIJAWS-1	Angle Back Tear-Off Piranha	Reinforced 30° Fulcrum 7" x 11"	28" Fiberglass	D-grip	5.25 lbs.
3H	HIJAWS-2W	Angle Back Tear-Off Piranha	Reinforced 30° Fulcrum 7" x 11"	48" Ash	None	5.50 lbs.
4H	HIJAWS-1W	Angle Back Tear-Off Piranha	Reinforced 30° Fulcrum 7" x 11"	28" Ash	D-grip	5.25 lbs.
1K	HI14RSL-CB	Tear-Off Spade Wedge	Closed Back Fulcrum 7" x 11"	48" Fiberglass	Double-dip	5.50 lbs.
3K	HI14RSLW-CB	Tear-Off Spade Wedge	Closed Back Fulcrum 7" x 11"	48" Ash	None	5.50 lbs.
4K	HI14RSDW-CB	Tear-Off Spade Wedge	Closed Back Fulcrum 7" x 11"	28" Ash	D-grip	5.50 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HI7IS	Floor/Ice Scraper	Welded Shank 7" x 6"	1 ¹ / ₈ " x 60" Fiberglass	Vinyl	3.50 lbs.
HI7IS-W	Floor/Ice Scraper	Welded Shank 7" x 6"	1 ¹ / ₈ " x 60" Wood	None	3.00 lbs.
HI9FIS	Floor/Ice Scraper	Forged 9" x 6 ¹ / ₂ "	1 ¹ / ₈ " x 60" Fiberglass	Vinyl	4.50 lbs.
HI9FISW	Floor/Ice Scraper	Forged 9" x 6 ¹ / ₂ "	1 ¹ / ₈ " x 60" Wood	None	4.00 lbs.
HIHDS	Heavy Duty Floor/Ice Scraper	Forged 9" x 7"	1 ¹ / ₄ " x 53" Fiberglass	D-grip	5.50 lbs.
HI57APBT	All Purpose Bar w/Tamper	Forged Wedge 2" x 9"	1" x 48" Solid Fiberglass	2 ¹ / ₂ " Tamper	7.50 lbs.
HI57APBTS	All Purpose Bar w/Tamper	Forged Wedge 2" x 9"	1 ¹ / ₄ " x 48" Steel Pipe	2 ¹ / ₂ " Tamper	9.50 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HISF4L	Four Tine Spading Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	48" Fiberglass	Double-dip	4.50 lbs.
HISF4D	Four Tine Spading Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	28" Fiberglass	D-grip	4.25 lbs.
HISF-4MD	Four Tine Spading Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	40" Fiberglass	D-grip	5.00 lbs.
HISF4D-W	Four Tine Spading Fork	Forged Steel 7 ¹ / ₄ " x 10 ³ / ₄ " Tines	31" Ash, Gooseneck	D-grip	4.00 lbs.
HIMF5L	Five Tine Manure Fork	Forged Steel 9" x 12 ¹ / ₂ " Oval Tines	46" Fiberglass	Double-dip	5.00 lbs.
HIMF5LW	Five Tine Manure Fork	Forged Steel 9" x 12 ¹ / ₂ " Oval Tines	54" Ash, Gooseneck	None	4.25 lbs.
HIMF5D-W	Five Tine Manure Fork	Forged Steel 9" x 12 ¹ / ₂ " Oval Tines	31" Ash, Gooseneck	D-grip	3.75 lbs.

Our Patented TACO Tool™ (U.S. Patent No. D484,012 S) is a **Trench And Clean Out** shovel that revolutionizes trench tool design. Now the HISCO TACO Tool™ is offered in two styles. The original TACO Tool™ is made of heavy 12 gauge steel for more demanding digging and clean-out applications and has a 40 degree handle angle to the blade. The new TACO Lite™ features the same design as the original TACO Tool™ but is made of 15 gauge heat-treated steel to reduce head weight and has a 35 degree handle angle to the blade.

Features Include:

- vertical sides for greater material retention on blade when digging and cleaning trenches
- new handle angle that is ideal for both digging and clean-out
- improved heel for added strength and secure foot placement
- closed back to help eliminate material build up
- flat bottom for clean cuts and complete trench clean-out



The TACO Lite™ Tool is the latest addition to HISCO's complete line-up of quality trench digging and clean-out tools.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIST3-4	3" Step Trench Shovel	Steel, Forward Step 3" x 11"	47" Fiberglass	Double-dip	4.00 lbs.
HIST3-4W	3" Step Trench Shovel	Steel, Forward Step 3" x 11"	46" Ash	None	3.00 lbs.
HITACO3-4	3" Original TACO Tool	Steel, Boxed Step 3" x 11 ¹ / ₂ "	47" Fiberglass	Double-dip	5.00 lbs.
HITACOL3-4	3" TACO Lite Tool	Steel, Boxed Step 2 ³ / ₄ " x 11 ¹ / ₂ " ‡	50" Fiberglass	Double-dip	4.30 lbs.
HI603TCOS	3" Trench Clean-Out (only) Shovel	Steel 3" x 10"	60" Fiberglass	Vinyl	3.75 lbs.

‡ Blade Imported to HISCO Specifications

TACO Tool Patent No. US D484,012 S

See Our
ProGold Series
Trench Shovels on page 3.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HITS481L	4" Classic Trench Shovel	Hollow Back 4" x 12"	48" Fiberglass	Double-dip	3.50 lbs.
HITS721L	4" Classic Trench Shovel	Hollow Back 4" x 12"	72" Fiberglass	Double-dip	4.50 lbs.
HITS481L-W	4" Classic Trench Shovel	Hollow Back 4" x 12"	48" Ash	None	3.00 lbs.
HITS481D	4" Mini Trench Shovel	Hollow Back 4" x 12"	21" Fiberglass	D-grip	2.50 lbs.
HIST4-4	4" Step Trench Shovel	Steel, Forward Step 4" x 11"	50" Fiberglass	Double-dip	4.25 lbs.
HIST4-4W	4" Step Trench Shovel	Steel, Forward Step 4" x 11"	46" Ash	None	3.00 lbs.
HITACOL4-4	4" TACO Lite Tool	Steel, Boxed Step 3 ³ / ₄ " x 11 ¹ / ₂ "	50" Fiberglass	Double-dip	4.65 lbs.

TACO Tool Patent No. US D484,012 S

See Our ProGold Series

Trench Shovels on page 3.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIST5-4	5" Step Trench Shovel	Steel, Forward Step 5" x 11"	50" Fiberglass	Double-dip	5.00 lbs.
HIST5-4W	5" Step Trench Shovel	Steel, Forward Step 5" x 11"	46" Ash	None	3.50 lbs.
HIST6-4	6" Step Trench Shovel	Steel, Forward Step 6" x 11"	50" Fiberglass	Double-dip	5.25 lbs.
HIST6-4W	6" Step Trench Shovel	Steel, Forward Step 6" x 11"	46" Ash	None	3.50 lbs.
HITS483LCD	6" Trench Shovel	Hollow Back 6" x 11 ³ / ₄ "	48" Fiberglass	Double-dip	4.75 lbs.
HITS48LCDW	6" Trench Shovel	Hollow Back 6" x 11 ³ / ₄ "	48" Ash	None	4.25 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HI8848ST	Heavy Duty Tamper w/Gussets	Steel Plate 8" x 8" x 1/2"	48" Fiberglass	Double-dip	11.75 lbs.
HI8848ST-S	Heavy Duty Tamper w/Gussets	Steel Plate 8" x 8" x 1/2"	48" Schd, 40 Pipe	Double-dip	15.60 lbs.
HI1048ST	Heavy Duty Tamper w/Gussets	Steel Plate 10" x 10" x 1/2"	48" Fiberglass	Double-dip	16.25 lbs.
HI1048ST-S	Heavy Duty Tamper w/Gussets	Steel Plate 10" x 10" x 1/2"	48" Schd, 40 Pipe	Double-dip	20.50 lbs.
HI50010	Tamper Head Digging Bar	Forged Steel	70" Forged Steel	None	17.00 lbs.
HI50020	Pinch Point Heavy Duty Bar	Forged Steel	60" Forged Steel	None	18.00 lbs.
HI50030	San Angelo Heavy Duty Bar	Forged Steel	72" Forged Steel	None	17.00 lbs.
HI50040	Slate Heavy Duty Bar	Forged Steel	60" Forged Steel	None	14.00 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIPHD4	Post Hole Digger	Head 9 1/2" x 6 1/2" w/6 1/4" spread	48" Fiberglass	Double-dip	10.00 lbs.
HIPHD4-W	Post Hole Digger	Head 9 1/2" x 6 1/2" w/6 1/4" spread	44" Ash	None	9.50 lbs.
HIPHD6	Post Hole Digger	Head 9 1/2" x 6 1/2" w/6 1/4" spread	72" Fiberglass	Double-dip	12.00 lbs.
HIPHD8*	Post Hole Digger	Head 9 1/2" x 6 1/2" w/6 1/4" spread	96" Fiberglass	Double-dip	14.00 lbs.
HIPHD10*	Post Hole Digger	Head 9 1/2" x 6 1/2" w/6 1/4" spread	120" Fiberglass	Double-dip	16.00 lbs.
HIDB12	Ditch Bank Tool	12" Ditch-Bank Blade	36" Hickory	None	4.00 lbs.
HIDB16	Heavy-Duty Ditch Bank Tool	16" Ditch-Bank Blade	40" Hickory	None	5.50 lbs.

*Overlength items may require an additional handling charge

HISCO's Lawn and leaf rakes meet the rigorous demands of professional landscapers and gardeners.



HI2254LR



HI2254LR-W



HI24PLR




HI24PLR-W

Model	Description	Blade	Handle	Grip	Nominal Wt.
HI2254LR	Deluxe 22 Tine Lawn Rake	Spring Brace 22" Head	54" Fiberglass	Vinyl	2.75 lbs.
HI2254LR-W	Deluxe 22 Tine Lawn Rake	Spring Brace 22" Head	54" Wood	None	2.50 lbs.
HI24PLR	24" Poly Leaf Rake Rake	24" Molded Poly Head	54" Fiberglass	Vinyl	2.00 lbs.
HI24PLR-W	24" Poly Leaf Rake Rake	24" Molded Poly Head	54" Wood	None	1.75 lbs.

HISCO's Landscape Rakes:

- aluminum alloy heads designed to professional landscapers' specifications
- extended striking edge engineered specifically for grading
- durable powder-coated aluminum handles with vinyl grips
- strong wrap around bracing for long-lasting performance
- rounded teeth for smooth non-gouging raking action



HISCO's Light Lute

- high-strength aluminum alloy head
- wrap-around bracing
- solid aluminum head-to-handle connection
- powder-coated aluminum handle

Model	Description	Blade	Handle	Grip	Nominal Wt.
HICR-72	Forged Head Culvert Rake	6" Steel Head, 4 Curved Tines	72" Fiberglass	Vinyl	3.75 lbs.
HICR-96*	Forged Head Culvert Rake	6" Steel Head, 4 Curved Tines	96" Fiberglass	Vinyl	4.00 lbs.
HIMR-60	Forged Head Manure Rake	8 1/2" x 10" Head, 4 Curved Tines	60" Fiberglass	Vinyl	4.00 lbs.
HIMR-72	Forged Head Manure Rake	8 1/2" x 10" Head, 4 Curved Tines	72" Fiberglass	Vinyl	4.25 lbs.
HI2466LSR	24 Tine Field & Landscape Rake	24" x 3" Aluminum Alloy	66" Aluminum	Vinyl	3.25 lbs.
HI3666LSR	36 Tine Field & Landscape Rake	36" x 3" Aluminum Alloy	66" Aluminum	Vinyl	3.75 lbs.
HI3682LW	24 Tooth Light Lute	36" x 3" Aluminum Alloy	82" Aluminum	Vinyl	4.50 lbs.

*Overlength items may require an additional handling charge



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIBR16T	Forged Head 16 Tine Bow Rake	16 ³ / ₄ " x 3" Curved Steel Tines	60" Fiberglass	Vinyl	4.00 lbs.
HIBR16T-W	Forged Head 16 Tine Bow Rake	16 ³ / ₄ " x 3" Curved Steel Tines	60" Ash	None	3.75 lbs.
HIRR16T	Forged Level Head Rock Rake	16 ³ / ₄ " x 3" Straight Steel Tines	66" Fiberglass	Double-dip	4.25 lbs.
HIRR16T-W	Forged Level Head Rock Rake	16 ³ / ₄ " x 3" Straight Steel Tines	60" Ash	None	4.00 lbs.
HIAR14T	Forged Head 14 Tine Asphalt Rake	18" x 3" Head, 24" Steel Shank	60" Fiberglass	Double-dip	5.75 lbs.
HIAR14T-W	Forged Head 14 Tine Asphalt Rake	18" x 3" Head, 24" Steel Shank	60" Ash	None	5.25 lbs.



Cotton Hoe Blade

Mortar Hoe Blade is perforated to allow easier mixing of cements, muds and mortars.

Model	Description	Blade	Handle	Grip	Nominal Wt.
HIMCT	McLeod Fire & Trail Tool	10 ¹ / ₄ " x 9" w/6 Tines 3 ¹ / ₂ "	48" Fiberglass	Double Dip	5.00 lbs.
HIMCT-W	McLeod Fire & Trail Tool	10 ¹ / ₄ " x 9" w/6 Tines 3 ¹ / ₂ "	48" Ash	None	5.00 lbs.
HICH75	All Purpose/Cotton Hoe	Forged Steel 6" x 5"	60" Fiberglass	Vinyl	3.50 lbs.
HICH75-W	All Purpose/Cotton Hoe	Forged Steel 6" x 5"	60" Ash	None	2.50 lbs.
HIMH-9	Mortar Hoe	Forged Steel 9" x 6"	60" Fiberglass	Vinyl	4.00 lbs.
HIMH-9W	Mortar Hoe	Forged Steel 9" x 6"	60" Ash	None	3.50 lbs.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIBF16	Straight Edge Backfill Lute	16" x 6 ³ / ₄ " 14 Gauge Steel	60" Fiberglass	Vinyl	5.00 lbs.
HIBF20	Straight Edge Backfill Lute	20" x 6 ³ / ₄ " 14 Gauge Steel	60" Fiberglass	Vinyl	4.75 lbs.
HI2060ACC	Asphalt & Backfill Lute	20" x 4 ¹ / ₂ " 13 Gauge Steel	60" Fiberglass	Vinyl	5.50 lbs.
HICP	Concrete Placer/Pusher	20" x 4 ¹ / ₄ " 16 Gauge Steel	60" Fiberglass	Vinyl	4.00 lbs.
HICP-W	Concrete Placer/Pusher	20" x 4 ¹ / ₄ " 16 Gauge Steel	60" Wood	None	3.25 lbs.



Model	Description	Blade/Head	Handle	Grip	Nominal Wt.
HI48CHS-8	No. 8 Cant Hook	Forged 8" Hook, Pencil Point	48" Solid Fiberglass	Double-dip	7.75 lbs.
HI72CHS-8	No. 8 Cant Hook	Forged 8" Hook, Pencil Point	72" Solid Fiberglass	Double-dip	10.00 lbs.
HI48CHS-10	No. 10 Cant Hook	Forged 10" Hook, Pencil Point	48" Solid Fiberglass	Double-dip	8.25 lbs.
HI72CHS-10	No. 10 Cant Hook	Forged 10" Hook, Pencil Point	72" Solid Fiberglass	Double-dip	10.50 lbs.
HI48CHS-12	No. 12 Cant Hook	Forged 12" Hook, Pencil Point	48" Solid Fiberglass	Double-dip	10.25 lbs.
HI72CHS-12	No. 12 Cant Hook	Forged 12" Hook, Pencil Point	72" Solid Fiberglass	Double-dip	12.50 lbs.
HI48VW	48" Valve Wrench/Schd. 40 Pipe	2 1/8" I.D. Square	36" Steel T	Double-dip	10.00 lbs.
HI72VW*	72" Valve Wrench/Schd. 40 Pipe	2 1/8" I.D. Square	36" Steel T	Double-dip	14.00 lbs.
HIWK-3	36" Water Meter Key	WMK on 1/2" x 36" Steel Rod	13" x 1 1/4" Steel T	Vinyl	3.50 lbs.
HIWK-4	48" Water Meter Key	WMK on 1/2" x 48" Steel Rod	13" x 1 1/4" Steel T	Vinyl	4.50 lbs.
HIGVK36	36" Gate Valve Key	GVK on 1/2" x 36" Steel Rod	13" x 1/2" Steel T	Vinyl	3.00 lbs.
HIMHH-25	25" Manhole Cover Hook	1/2" x 25" Steel Rod	13" x 1/2" Steel T	Vinyl	2.50 lbs.
HIMHH-40	40" Manhole Cover Hook	1/2" x 40" Steel Rod	13" x 1/2" Steel T	Vinyl	3.00 lbs.

*Overlength items may require an additional handling charge



Model	Description	Blade/Head	Handle	Grip	Nominal Wt.
HICT-8*	Curved Tamping Bar	Solid Steel 7" x 3" x 2"	96" Fiberglass	Double-dip	13.50 lbs.
HICT-10*	Curved Tamping Bar	Solid Steel 7" x 3" x 2"	120" Fiberglass	Double-dip	14.25 lbs.
HIRT-8*	Rectangular Tamping Bar	Solid Steel 4" x 2" x 3"	96" Fiberglass	Double-dip	12.00 lbs.
HIRT-10*	Rectangular Tamping Bar	Solid Steel 4" x 2" x 3"	120" Fiberglass	Double-dip	12.75 lbs.
HITSEP-8*	Eastern Pattern Telegraph Spoon	Three Star 8 ³ / ₄ " x 10"	96" Fiberglass	Double-dip	9.50 lbs.
HITSEP-10*	Eastern Pattern Telegraph Spoon	Three Star 8 ³ / ₄ " x 10"	120" Fiberglass	Double-dip	10.25 lbs.
HITSEP-12*	Eastern Pattern Telegraph Spoon	Three Star 8 ³ / ₄ " x 10"	144" Fiberglass	Double-dip	11.25 lbs.
HITSWP-8*	Western Pattern Telegraph Spoon	Three Star 9 ⁵ / ₈ " x 8 ³ / ₄ "	96" Fiberglass	Double-dip	9.50 lbs.
HITSWP-10*	Western Pattern Telegraph Spoon	Three Star 9 ⁵ / ₈ " x 8 ³ / ₄ "	120" Fiberglass	Double-dip	10.25 lbs.
HITSWP-12*	Western Pattern Telegraph Spoon	Three Star 9 ⁵ / ₈ " x 8 ³ / ₄ "	144" Fiberglass	Double-dip	11.25 lbs.
HITS-8*	Straight Telegraph Shovel	Three Star 9 ¹ / ₄ " x 11 ⁷ / ₈ "	96" Fiberglass	Double-dip	9.50 lbs.
HITS-10*	Straight Telegraph Shovel	Three Star 9 ¹ / ₄ " x 11 ⁷ / ₈ "	120" Fiberglass	Double-dip	10.25 lbs.
HITS-12*	Straight Telegraph Shovel	Three Star 9 ¹ / ₄ " x 11 ⁷ / ₈ "	144" Fiberglass	Double-dip	11.25 lbs.


*Overlength items may require an additional handling charge



HICAT-T44
HICAT-T44H




HICAT-T48
HICAT-T48H



Model	Description	Blade	Handle	Grip	Nominal Wt.
HICAT-T44	Cable Trencher "T" Handle	9" x 12" x 1/4" (44" total length)	31" Solid Fiberglass	18" T, Dbl.-dip	12.00 lbs.
HICAT-T44H	Heavy-Duty Cable Trencher	9" x 12" x 3/8" (44" total length)	31" Solid Fiberglass	18" T, Dbl.-dip	12.00 lbs.
HICAT-T48	Cable Trencher "T" Handle	9" x 12" x 1/4" (48" total length)	35" Solid Fiberglass	18" T, Dbl.-dip	12.00 lbs.
HICAT-T48H	Heavy-Duty Cable Trencher	9" x 12" x 3/8" (48" total length)	35" Solid Fiberglass	18" T, Dbl.-dip	12.00 lbs.

Blunt Tip Probes

Our non-conductive, solid 1/2" fiberglass shaft probes are now offered in a blunt-tip version. Rounded tip is safer for probing lines that may be prone to puncture.



Model	Description	Blade	Handle	Grip	Nominal Wt.
HIUP-36	36" Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.25 lbs.
HIUP-42	42" Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIUP-48	48" Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIEP-48	48" Extendible Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIUP-36B	36" Blunt-Tip Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.25 lbs.
HIUP-42B	42" Blunt-Tip Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIUP-48B	48" Blunt-Tip Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIEP-48B	48" Ext. Blunt-Tip Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.50 lbs.
HIEP-60	60" Extendible Utility Probe	3/4" Steel Tip on 1/2" Fiberglass Rod	8 1/4" Fiberglass T	Vinyl	1.75 lbs.
HI36PE	36" Probe Extension	3/4" Connectors on 1/2" Fiberglass Rod			1.00 lbs.
HIWS-48	48" Walking Stick/Cattle Prod	Rubber Tip on 1/2" Fiberglass Rod	48" Fiberglass	Golf Grip	1.00 lbs.



Split Resistant Handles

on our **HISCO** axes and mattocks feature a fiberglass core in a tough molded high-density polypropylene handle. This shock absorbing construction is more user friendly. We also now offer the traditional style **Hickory** handles on our Renegade line.

Model	Description	Blade/Head	Handle	Grip	Nominal Wt.
HISBA-6	Single Bit Axe	3 1/2 lb. Single Bit Head	36" Fiberglass	None	6.50 lbs.
HISBA-6W	Single Bit Axe	3 1/2 lb. Single Bit Head	36" Hickory	None	5.00 lbs.
HIDBA-6	Double Bit Axe	3 1/2 lb. Double Bit Head	36" Fiberglass	None	6.50 lbs.
HIDBA-6W	Double Bit Axe	3 1/2 lb. Double Bit Head	36" Hickory	None	5.00 lbs.
HIPA-6	Firefighter's Pulaski Axe	3 1/2 lb. Pulaski Head	36" Fiberglass	None	5.00 lbs.
HIPA-6W	Firefighter's Pulaski Axe	3 1/2 lb. Pulaski Head	36" Hickory	None	5.00 lbs.
HI12115	Camp Axe	1 1/4 lb. Camp Axe	12" Fiberglass	None	1.50 lbs.
HI12105	Camp Axe	1 1/4 lb. Camp Axe	12" Wood	None	1.50 lbs.
HI12304	Premium Log Splitter	4 lb. Premium Axe	34" Fiberglass	None	5.00 lbs.
HI11604	4 lb. Splitting Wedge	Forged Steel	None	None	4.00 lbs.
HI11605	5 lb. Splitting Wedge	Forged Steel	None	None	5.00 lbs.
HI11614	4 lb. Dyno Wedge	Forged Steel	None	None	4.00 lbs.



Split Resistant Handles

on our HISCO axes and mattocks feature a fiberglass core in a tough molded high-density polypropylene handle. This shock absorbing construction is more user friendly. We also now offer the traditional style Hickory handles on our Renegade line.

Model	Description	Blade/Head	Handle	Grip	Nominal Wt.
HIRP-5H	Railroad Clay Pick	5 lb. Head w/ #6 Eye	36" Fiberglass	None	7.50 lbs.
HIRP-5HW	Railroad Clay Pick	5 lb. Head w/ #6 Eye	36" Hickory	None	7.00 lbs.
HIRP-5	Railroad Clay Pick Head	5 lb. Head w/ #6 Eye	None	None	5.00 lbs.
HIPM-5H	Pick Mattock	5 lb. Head w/ #6 Eye	36" Fiberglass	None	7.50 lbs.
HIPM-5HW	Pick Mattock	5 lb. Head w/ #6 Eye	36" Hickory	None	7.50 lbs.
HIPM-5	Pick Mattock Head	5 lb. Head w/ #6 Eye	None	None	5.00 lbs.
HICM-5H	Cutter Mattock	5 lb. Head w/ #6 Eye	36" Fiberglass	None	7.50 lbs.
HICM-5HW	Cutter Mattock	5 lb. Head w/ #6 Eye	36" Hickory	None	7.50 lbs.
HICM-5	Cutter Mattock Head	5 lb. Head w/ #6 Eye	None	None	5.00 lbs.




Model	Description	Blade/Head	Handle	Grip	Weight
HIDH-3	Drilling Hammer	3 lb. Double-faced Head	13" Fiberglass	None	3.50 lbs.
HIDH-3W	Drilling Hammer	3 lb. Double-faced Head	13" Hickory	None	3.50 lbs.
HIDH-4	Drilling Hammer	4 lb. Double-faced Head	13" Fiberglass	None	4.50 lbs.
HIDH-4W	Drilling Hammer	4 lb. Double-faced Head	13" Hickory	None	4.50 lbs.
HIEH-3	Engineer Hammer	3 lb. Double-faced Head	13" Fiberglass	None	3.50 lbs.
HIEH-3W	Engineer Hammer	3 lb. Double-faced Head	13" Hickory	None	3.50 lbs.
HIEH-4	Engineer Hammer	4 lb. Double-faced Head	13" Fiberglass	None	4.50 lbs.
HIEH-4W	Engineer Hammer	4 lb. Double-faced Head	13" Hickory	None	4.50 lbs.
HIBD-422	Sledge Hammer	4 lb. Double-faced Head	22" Fiberglass	None	4.50 lbs.
HIBD-430W	Sledge Hammer	4 lb. Double-faced Head	30" Hickory	None	4.25 lbs.
HIBD-615	Sledge Hammer	6 lb. Double-faced Head	15" Fiberglass	None	6.50 lbs.
HIBD-622	Sledge Hammer	6 lb. Double-faced Head	22" Fiberglass	None	6.60 lbs.
HIBD-6	Sledge Hammer	6 lb. Double-faced Head	36" Fiberglass	None	8.00 lbs.
HIBD-630W	Sledge Hammer	6 lb. Double-faced Head	30" Hickory	None	7.50 lbs.
HIBD-636W	Sledge Hammer	6 lb. Double-faced Head	36" Hickory	None	8.00 lbs.
HIBD-822	Sledge Hammer	8 lb. Double-faced Head	22" Fiberglass	None	8.60 lbs.
HIBD-8	Sledge Hammer	8 lb. Double-faced Head	36" Fiberglass	None	10.00 lbs.
HIBD-830W	Sledge Hammer	8 lb. Double-faced Head	30" Hickory	None	9.50 lbs.
HIBD-836W	Sledge Hammer	8 lb. Double-faced Head	36" Hickory	None	10.00 lbs.
HIBD-10	Sledge Hammer	10 lb. Double-faced Head	36" Fiberglass	None	12.00 lbs.
HIBD-10W	Sledge Hammer	10 lb. Double-faced Head	36" Hickory	None	12.00 lbs.
HIBD-12	Sledge Hammer	12 lb. Double-faced Head	36" Fiberglass	None	14.00 lbs.
HIBD-12W	Sledge Hammer	12 lb. Double-faced Head	36" Hickory	None	14.00 lbs.
HIBD-16	Sledge Hammer	16 lb. Double-faced Head	36" Fiberglass	None	18.00 lbs.
HIBD-16W	Sledge Hammer	16 lb. Double-faced Head	36" Hickory	None	18.00 lbs.
HIBD-20	Sledge Hammer	20 lb. Double-faced Head	36" Fiberglass	None	22.00 lbs.
HIBD-20W	Sledge Hammer	20 lb. Double-faced Head	36" Hickory	None	22.00 lbs.

Our new 16" Street Broom features wide flared ends that allow for close sweeping to curbs. Recommended for wet or dry sweeping in dairy barns, for street sweeping and highway work.



Model	Description	Head/Bristles/Blade	Handle	Grip	Nominal Wt.
HI16SBC-W	16" Street Push Broom	Wood/ 6" Natural Palmyra Stalk	60" Wood	None	4.30 lbs.
HI24GFC	24" Garage Floor Push Broom	Wood/ 4" Natural Brown Palmyra	Braced 60" Fiberglass	Vinyl	3.50 lbs.
HI24GFC-W	24" Garage Floor Push Broom	Wood/ 4" Natural Brown Palmyra	Braced 60" Wood	None	3.50 lbs.
HI24FBC	24" Floor Push Broom	Wood/ 3" Black Tampico	Braced 60" Fiberglass	Vinyl	3.50 lbs.
HI24FBC-W	24" Floor Push Broom	Wood/ 3" Black Tampico	Braced 60" Wood	None	3.50 lbs.
HI24SBC	24" Street Push Broom	Wood/ 4" Polypalm Plastic	Braced 60" Fiberglass	Vinyl	3.50 lbs.
HI24SBC-W	24" Street Push Broom	Wood/ 4" Polypalm Plastic	Braced 60" Wood	None	3.50 lbs.



HISCO's Merchandising Displays are designed to maximize the visibility of our products in-store while occupying only the minimum amount of floor space. Each is an effective tool to increase sales potential.

Model	Description	Specs	Capacity	Nominal Wt.
HIUP4824	Utility Probe Display* (only)	Steel/Fiberglass 18"W x 18"W x 74"T (overall)	24 Probes	18.00 lbs.

* Some Assembly Required All displays sold without tools. Graphics are screen printed.



HI48LHS

HI40SHDW



HI48PHD

HI48PHDW



HIB147SW



HINS6-1

HINS6-1W



HI60BMH-1

Model	Description	Specs	Grip	Nominal Wt.
HI48LHS	Shovel/Spade Long Replacement Handle	1 1/4" x 48" Fiberglass	Double-dip	2.25 lbs.
HI40SHDW	Shovel/Spade 'D' Replacement Handle	Shouldered 1 1/2" x 40" Ash with 9" Eye Chuck	D-grip	1.75 lbs.
HI48PHD	Post Hole Digger Replacement Handles	2- 1 1/4" x 48" Fiberglass Handles	Double-dip	4.50 lbs.
HI48PHDW	Post Hole Digger Replacement Handles	2- 1 1/2" x 48" Ash Handles	None	4.00 lbs.
HIB147SW	Single Bit Axe Replacement Handle	36" Hickory	None	1.50 lbs.
HINS6-1	Pick/Mattock Replacement Handle	36" Fiberglass/#6 Eye	None	2.50 lbs.
HINS6-1W	Pick/Mattock Replacement Handle	36" Hickory/#6 Eye	None	2.25 lbs.
HI60BMH-1	Push Broom Replacement Handle	1 5/16" x 60" Fiberglass/Threaded Tip	Vinyl	1.25 lbs.

Prod. No.	Pg. No.	Prod. No.	Pg. No.	Prod. No.	Pg. No.	Prod. No.	Pg. No.
HI1048ST27	HI550L6	HIBD-62240	HIGSDG2
HI1048ST-S27	HI550LG3	HIBD-630W40	HIGSLG2
HI1160438	HI551LG3	HIBD-636W40	HIGVK3634
HI1160538	HI57APBT22	HIBD-840	HIHDS22
HI1161438	HI57APBTS22	HIBD-82240	HIIRSLH6
HI1210538	HI603TCOS24	HIBD-830W40	HIIRSLH-W6
HI1211538	HI60BMH-143	HIBD-836W40	HIISL6
HI1230438	HI72CHS-1034	HIBF1633	HIISL-W6
HI14RSD21	HI72CHS-1234	HIBF2033	HIJAWS-121
HI14RSDW-CB21	HI72CHS-834	HIBR16T31	HIJAWS-1W21
HI14RSL21	HI72VW34	HIBR16T-W31	HIJAWS-221
HI14RSL-CB21	HI7IS22	HICAT-T4436	HIJAWS-2W21
HI14RSLW-CB21	HI7IS-W22	HICAT-T44H36	HIMCT32
HI16SBC-W41	HI8848ST27	HICAT-T4836	HIMCT-W32
HI2060ACC33	HI8848ST-S27	HICAT-T48H36	HIMF5D-W23
HI2254LR29	HI9FIS22	HICH7532	HIMF5L23
HI2254LR-W29	HI9FISW22	HICH75-W32	HIMF5LW23
HI2466LSR30	HIAGS10D16	HICM-539	HIMH-932
HI24FBC41	HIAGS10D-W17	HICM-5H39	HIMH9-W32
HI24FBC-W41	HIAGS10L16	HICM-5HW39	HIMHH-2534
HI24GFC41	HIAGS10L-W17	HICP33	HIMHH-4034
HI24GFC-W41	HIAGS10MD16	HICP-W33	HIMR-6030
HI24PLR29	HIAGS10MDW17	HICR-7230	HIMR-7230
HI24PLR-W29	HIAGS14D17	HICR-9630	HINS6-143
HI24SBC41	HIAGS14D-W17	HICT-1035	HINS6-1W43
HI24SBC-W41	HIAGS2D15	HICT-835	HINSS12D-W18
HI3666LSR30	HIAGS2D-W15	HIDB1228	HINSS12L-W18
HI3682LW30	HIAGS2L15	HIDB1628	HINSS12MD18
HI36PE37	HIAGS2L-W15	HIDBA-638	HINSS12MDW18
HI40SHDW43	HIAGS2MD15	HIDBA-6W38	HIPA-638
HI48CHS-1034	HIAGS2MD-W15	HIDH-340	HIPA-6W38
HI48CHS-1234	HIAR14T31	HIDH-3W40	HIPHD1028
HI48CHS-834	HIAR14T-W31	HIDH-440	HIPHD428
HI48PHD43	HIASD14	HIDH-4W40	HIPHD4-W28
HI48PHDW43	HIASD-W14	HIEH-340	HIPHD628
HI48LHS43	HIASL14	HIEH-3W40	HIPHD828
HI48VW34	HIB147SW43	HIEH-440	HIPM-539
HI500D12	HIBD-1040	HIEH-4W40	HIPM-5H39
HI5001027	HIBD-10W40	HIEP-4837	HIPM-5HW39
HI5002027	HIBD-1240	HIEP-48B37	HIPSSH12
HI5003027	HIBD-12W40	HIEP-6037	HIRP14D4
HI5004027	HIBD-1640	HIGPSLH13	HIRP14D-CB5
HI510L8	HIBD-16W40	HIGPSLH-W13	HIRP14D-W4
HI520D5	HIBD-2040	HIGS2D12, 21	HIRP14L4
HI520L5	HIBD-20W40	HIGS2D-CB12, 21	HIRP14LWCB5
HI530D10	HIBD-42240	HIGS2D-W12, 21	HIRP14L-CB5
HI530L10	HIBD-430W40	HIGS2L12, 21	HIRP14L-M4
HI540D11	HIBD-640	HIGS2L-CB12, 21	HIRP14L-W4
HI540L11	HIBD-61540	HIGS2L-W12, 21	HIRP14MD4

Professional Tools Fiberglass Tough!

HISCO

Professional Tools
Fiberglass Tough!

www.hiscotools.com

HISCO[®]

Printed In U.S.A.